



This document is intended for the ADAM Administrator and gives an overview of the components in the ADAM application, how to install and configure them, and where to find more documentation.

Database Installation

It is a requirement that WebADE 4.3 is installed before ADAM is installed.

ADAM does not have its own tables; it is the WebADE administrative application and uses the same tables as WebADE. Therefore, it does not require its own schema, it should be installed in the same schema as WebADE 4.3.

README files are included with the database install scripts to guide you through the process of installing the ADAM database component.

This install makes the following assumptions:

- The Ant tool is installed on the Java Application Delivery Server and is available in the path.
- An appropriate database instance has been created and is running on the server.
- A J2EE container has been installed, is running and available.
- WebADE 4.3 has been installed, is running and available.

Notes

An initial ADAM Administrator must be created. This 'seed' user can then designate Application Administrators who can then delegate Authorization Grantors, who can then Authorize Users.

Familiarize yourself with the WebADE Preferences used by ADAM. They are described in the PREFERENCES file.

Java Installation

ADAM is a J2EE web application.

When ADAM is delivered it includes an application archive for deployment to your container.

Steps:

- Unpack the distributable archive
- Deploy the application archive to your J2EE container.
- Restart your J2EE container.

Configuration

Configuration of the ADAM application is done with preferences set in the WebADE preference table.

For more information on what preferences can be set, how to set them, and examples see PREFERENCES.txt